

FLOOR PLAN

SCALE: ¼" = 1'-0"

BEARING WALL SCHEDULE

	TYPE	BEAR. HT. (AFF.)	LOCATION
A	C.M.U.	8'-0"	EXTERIOR
B	FRAME	8'-0"	INTERIOR

FLOOR PLAN NOTES

2. 8"x16"(D) COMPOSITE LINTEL BEAM BEAR. HT. @ 9'-4" AFF.
3. SHADED AREA DENOTES C.M.U. WALL TO 8'-0" W/ FRAME KNEEWALL ABV. TO 9'-4" AFF.

DESIGNER HEREBY EXPRESSLY RESERVES HIS COPYRIGHT AND OTHER PROPERTY RIGHTS IN THESE PLANS. THESE PLANS AND DRAWINGS ARE NOT TO BE REPRODUCED, CHANGED OR COPIED IN ANY FORM OR MANNER WHATSOEVER, NOR ARE THEY TO BE ASSIGNED TO ANY PARTY WITHOUT FIRST OBTAINING THE EXPRESSED WRITTEN PERMISSION AND CONSENT OF WHITE HEART DESIGNS.

AREAS

LIVING	1,465
GARAGE	425
ENTRY	26
TOTAL	1,916

white heart designs
RESIDENTIAL DESIGNERS
750 DELTONA BLVD.
SUITE 105
DELTONA, FL 32725
386.574.9088 voice
386.574.9186 fax
Excellence by Design

Don Bolden Eng. Inc.
Donald G. Bolden, P.E.
Florida Reg. # 47524
Cert. of Auth. # 26030
P.O. Box 530783
DeBary, FL 32753

GARAGE LEFT
FRONT ENTRY
ELEV. A
VERSION 3

HAMILTON
EMPIRE CUSTOM BUILDERS

FLOOR PLAN
A CUSTOM HOME FOR:
BASE PLAN

REVISIONS

DESIGN STATEMENT: THIS STRUCTURE HAS BEEN DESIGNED IN ACCORDANCE WITH THE FLORIDA BUILDING CODE 2004, RESIDENTIAL EDITION (WITH SUPPLEMENT). THE DESIGN CRITERIA ARE AS FOLLOWS:

BASIC WIND SPEED:	120mph (3 SEC. GUST)
WIND IMPORTANCE FACTOR:	I
BUILDING CATEGORY:	II
WIND EXPOSURE:	B
INTERNAL PRESSURE COEFFICIENT:	0.18
COMPONENTS & CLADDING WIND SPEED:	+25.9psf/-34.7psf

PROJECT NO.: @HAM3aL1
DATE: 5 SEP 2006
DRAWN BY: N.L.C.
SHEET NO.: A-1